

I. PRODUCT INFORMATION

PRODUCT IDENTIFIER:	TUNDRA FOAM (OPEN CELL) BACKER ROD	SUPPLIER / MANUFACTURER NAME & ADDRESS: INDUSTRIAL THERMO POLYMERS LTD. 153 VAN KIRK DRIVE BRAMPTON, ONTARIO L7A 1A4		
TRADE NAME:	SEE ABOVE	PHONE NO.:	1-905-846-3666	
CHEMICAL IDENTITY:	CELLULAR POLYURETHANE	FAX NO.:	1-905-846-0363	
SYNONYMS:	FLEXIBLE BUNSTOCK	EMERGENCY PHONE NO.:	1-800-387-3847	
FORMULA:	N/A	PRODUCT USE:	CONSTRUCTION	
CHEMICAL FAMILY:	N/A	WHMIS CLASS:	N/A	
SHIPPING NAME:	N/A	PRODUCT ID NUMBER:	N/A	
		TDG CLASSIFICATION:	N/A	

II. HAZARDOUS INGREDIENTS

INGREDIENTS	% (VOL.)	CAS NO.	LD ₅₀ (Species & Routes)	LC ₅₀ (Rat, 4hrs.)	TLV-TWA (ACCGIH)*
N/A					

* Applicable provincial TLV's may differ

III. PHYSICAL DATA

PHYSICAL STATE:	GAS <input type="checkbox"/>	LIQUID <input type="checkbox"/>	SOLID <input checked="" type="checkbox"/>	FREEZING POINT:	N/A	MELTING POINT:	640 - 700° F D.T.A. COMPOSITION
BOILING POINT 760 mm Hg:	N/A			VAP. PRESS at 20°C:	N/A	MOLECULAR WEIGHT:	N/A
SPECIFIC GRAVITY LIQUID (water = 1):	0.03 - 0.08			SOLUBILITY IN WATER(% BY WT):	WATER WILL EXTRACT RESIDUAL FORMATION INGREDIENTS PLUS 10W MOLECULAR WEIGHT POLYMERS		
SPECIFIC GRAVITY VAPOUR (air = 1):	N/A			EVAPORATION RATE (Butyl acetate = 1):	N/A	COEFFICIENT OF WATER / OIL DISTRIBUTION:	N/A
VAPOUR DENSITY:	N/A			% VOLATILES BY VOLUME:	N/A	ODOR THRESHOLD:	N/A
APPEARANCE AND ODOR:	CELLULAR STRUCTURE, NEARLY ODORLESS, NON ALLERGENIC						

IV. FIRE OR EXPLOSION HAZARD

FLAMMABLE?:	YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>	IF YES, UNDER WHAT CONDITIONS?:	EXPOSURE TO OPEN FLAME
FLASH POINT TEST METHOD:	N/A		AUTOIGNITION TEMP.	N/A
FLAMMABLE LIMITS IN AIR, % BY VOLUME:	N/A			
EXTINGUISHING MEDIA:	WATER (SPRAY OR FOG), CO ₂ , FOAM, DRY CHEMICALS			
SPECIAL FIRE FIGHTING PROCEDURES:	COOL FIRE EXPOSED MATERIAL WITH WATER SPRAY BEFORE HANDLING, OR USE ABC DRY CHEMICAL EXTINGUISHERS FOR SMALL VOLUMES OF FOAM			
UNUSUAL FIRE AND EXPLOSION HAZARDS:	FOAM MAY APPEAR TO BE EXTINGUISHED AND BE SMOLDERING INSIDE. TEAR APART AND ENSURE FULLY EXTINGUISHED. EXPLOSION HAZARD IF HIGH LEVELS OF FOAM DUST ARE PRODUCED.			
HAZARDOUS COMBUSTION PRODUCTS:	USE SELF CONTAINED BREATHING APPARATUS TO FIGHT FIRE.			
SENSITIVITY TO IMPACT:	NONE			
SENSITIVITY TO STATIC DISCHARGE:	NONE			

V. REACTIVITY DATA

STABILITY:	STABLE <input checked="" type="checkbox"/>	UNSTABLE <input type="checkbox"/>	CONDITIONS OF CHEMICAL INSTABILITY: KEEP AWAY FROM OPEN FLAME
INCOMPATIBLE PRODUCTS: ZYLENE		HAZARDOUS DECOMPOSITION PRODUCTS: NONE KNOWN	
HAZARDOUS POLYMERIZATION:	MAY OCCUR <input type="checkbox"/>	WILL NOT OCCUR <input checked="" type="checkbox"/>	CONDITIONS OF REACTIVITY: N/A

VI. TOXICOLOGICAL PROPERTIES

ROUTES OF EXPOSURE:	SWALLOWING <input type="checkbox"/>	SKIN ABSORPTION <input type="checkbox"/>	INHALATION <input checked="" type="checkbox"/>	SKIN CONTACT <input type="checkbox"/>	EYE CONTACT <input type="checkbox"/>
EFFECTS OF A SINGLE (ACUTE) OVEREXPOSURE BY:					
SWALLOWING:					
SKIN ABSORPTION:					
INHALATION:	CHOKING - MECHANICAL BLOCKAGE				
SKIN CONTACT:					
EYE CONTACT:					
EFFECTS OF REPEATED (CHRONIC) OVEREXPOSURE: N/A					
OTHER EFFECTS OF OVEREXPOSURE: NONE					
MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE: N/A					
SIGNIFICANT LABORATORY DATA WITH POSSIBLE RELEVANCE TO HUMAN HEALTH HAZARD VIOLATION: N/A					

VII. PREVENTATIVE MEASURES

PERSONAL PROTECTION:			
RESPIRATORY PROTECTION:	CLOTH MASK IF FABRICATING (CUTTING DUST)	PROTECTIVE GLOVES:	WHEN BEING HEATED
EYE PROTECTION:	SAFETY GLASSES WHEN BEING FABRICATED	OTHERS:	NONE
SPECIFIC ENGINEERING CONTROL:			
VENTILATION:	LOCAL EXHAUST WHEN BEING FABRICATED	MECHANICAL WHEN BEING FABRICATED	
OTHERS:	N/A		
STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: N/A - SOLID FOAM, NON TOXIC, FLOATABLE FOAM			
WASTE DISPOSAL METHOD: LANDFILL, CONSULT LOCAL ORDINANCE FOR COMPLIANCE			
SPECIAL HANDLING AND STORAGE REQUIREMENTS: AVOID OPEN FLAME OR IGNITION CONDITIONS			
MIXTURES: NONE			
OTHER HANDLING AND STORAGE CONDITIONS: N/A			

VIII. FIRST AID MEASURES

SWALLOWING: N/A	SKIN CONTACT: N/A
INHALATION: REMOVE BLOCKAGE	EYE CONTACT: CONSULT PHYSICIAN